



GENERAL CATALOG
ENGLISH CATALOG Vol.22
2020-21



The origin of CROPS

"To harvest crops" --Thinking of crops in the context of agriculture.

Seeds are sown. They take root and grow. With great care and labor the farmers harvest the crops.

We assemble new and unique ideas.

We select those that merit our attention and design consideration.

We Innovate, simplify, and craft products that carry our name.

CROPS was founded in 1996 based on this conceptual metaphor.

CROPS—Our Ideas

Our crops, in other words our products, are well-developed,
This is due to the efforts of our outstanding designers, technicians and manufacturers.
We want to provide products that amaze and delight the user.

CROPS—Our design

The appearance isn't anything outrageous.
The essence = simplicity

We strive to apply our design philosophy across our product line. Easy to use designs that exhibit simple, functional beauty.

CROPS—Our craftsmanship

Our team works in close collaboration with local technicians and manufacturers.
Through mutual trust we are able to pursue product designs and follow processes that will yield a quality CROPS product.
Attention to the smallest details and continuous improvement of the design is part of our process.
We'll produce prototypes based on our initial designs. We'll field test them to evaluate form, fit, and function.
We'll refine the design using real world feed-back. Through these iterations,
we can fully develop and proudly deliver CROPS products.



Product concept



The CROPS flagship model beats others in attractiveness.
When we make our locks, we begin with designing cylinders.
The rigidity is present, and yet a shaped head is made possible.
Not only does it protect your bicycle from theft, it's easy to use and also feels comfortable when you push the key into the lock.
Each time you use the key, you feel a sense of satisfaction.

This is what CROPS Pro Series is all about.



With our main products being locks and lights,
we offer general bicycle accessories.
We have products of varied specifications and colors to meet your needs
in all cycling environments from road racing to urban cycling.
Our product lineup will satisfy cyclists of any kind,
whether he/she is a road racer or an urban cyclist.

NEW

K5 CABRIO

**K5 head model is newly introduced in CABRIO.
Boasts a high security with 100,000 PIN settings and reinforced blades.**

The CABRIO series is a combination lock type with a 6 mm thick blade that boasts high strength and a lock that features a compact form factor. The 5-digit combination locking code has a security pattern of about 100,000 different sequences, and in addition to extremely high security, the flat layout of the combination lock eliminates the hassle of turning the next number, so it has excellent ease of operability.



K5-CABRIO



Product code	Color	Size(TxL mm)	Type	Weight(g)
K5-FD60B	Black	6x800	Blade	590

Parts : Universal bracket " BKT006N"

NEW

TL600mu TAIL FLASHER LIGHT



LED x7

TL600mu

Saddle rail bracket "FBST01"

Product code	Color	LED	Battery	Weight(g)
C2E03-13-9367	Light Clear	Red LEDx1 Yellow LEDx6	LI-Ion 320mAh	29 (Battery included)
	Wireless controller	-	CR2032 x1	17 (Battery included)

Parts : Wireless controller / micro USB cable / Saddle rail bracket " FBST01 "

NEW

BL600mu TAIL BRAKE LIGHT



G-sensor for brake




BL600mu

LED x1



Product code	Color	LED	Battery	Weight(g)
C2E02-04-9374	Red	Red LEDx1 COB	LI-Ion 320mAh	28 (Battery included)

Parts : micro USB cable / Universal mount bracket " UB08 "



Universal mount bracket "UB08"



CROPS PRO
LOCKS





What is "LION ALARM"

CROPS's unique security system that detects vibration and sounds an alarm.

By using the special mount "LINK STATION", it can be mounted directly on the bicycle. By docking with the K4 series, you can select and use the security level that matches the scene.

LION ALARM




	Product code	Color	Type	Weight(g)
Single	CP-Z110-AL	Black	ALARM	130

Parts : micro USB cable



- Switch for
- On / Off
 - Volume control
 - Battery status check





LION ALARM, linkstation combo

It can be used on bicycle frames that are equipped with bottle cage mounts. The LION ALARM can be mounted directly to the bicycle, and when vibration is detected, the alarm sounds.

Constant : Approx 160hrs. (In ON mode)

Constant alert : Approx 22hrs.
(Repeat alert for every 10sec.)

Full charge : Approx 2hrs.



Product code	Color	Type	Weight(g)
Combo CP-Z110-LNK-AL	Black	ALARM	130 250

Parts : Dimple keys x 3 / micro USB cable / Spacer / Screw



Accessory lock for link station

The link station, which has two connection points at the top and bottom, uses a special lock to realize unprecedented convenience and portability.

K4 Single terminal straight cable

Product code	Color	Cable size(φ×L,mm)	Cable type	Weight(g)
ZP-K4-STL8160	Black	8(Single)×1600	Straight cable	285



K4 Double terminal coiled cable

Product code	Color	Cable size(φ×L,mm)	Cable type	Weight(g)
ZP-K4-DTL10110	Black	10(Single)×1100	Coiled cable	311



K4 ATTACHMENT PARTS K4 Connector link

Product code	Color	Type	Weight(g)
ZP-K4-CNL	Silver	Attachment	33




LION ALARM Product Lineup

This series can maximize the capability of LION ALARM.

By connecting the alarm body and a LION ALARM compatible product, it effectively increases the vibration transmission to the vibration sensor. The design allows for easy attachment and detachment of components to facilitate your desired configuration.

LION ALARM ACCESSORIES






The K4-CABRIO is a high security lock featuring a high strength 6 mm thick blade in a form factor that fits out of the way.


Uses an innovative "K4" head cylinder design compatible with the LION ALARM system.

The included bracket is compatible with all round pipes (up to 50mm in diameter) such as seat posts and can be carried around smartly.



Smart lock up! Storage Innovation

K4-CABRIO



	Product code	Color	Size(Lmm)	Type	Weight(g)
Combo	K4-FD60B-AL	Black	800	Blade	760
Parts :		Dimple keys × 3 Universal bracket "BKT006N" micro USB cable			
		Constant : Approx 160hrs. (In ON mode) Constant alert : Approx 22hrs. (Repeat alert for every 10sec.) Full charge : Approx 2hrs.			
	Product code	Color	Size(Lmm)	Type	Weight(g)
Single	K4-FD60B	Black	800	Blade	620
Parts :		Dimple keys × 3 / Universal bracket " BKT006N "			
	Product code	Color	Type	Weight(g)	
Single	CP-Z110-AL	Black	ALARM	130	
Parts :		micro USB cable			





TAIPEI CYCLE
46 Awards 2012
CPFC
K5-66



Product code	Color	Chain size(TxLmm)	Chain type	Weight(g)
CP-K5-66	2Colors	6x1100	Angled chain	1030



K5-66



Fits comfortably in your hand

The supplied dimple key is slightly larger than a regular key so it fits comfortably in your hand



LION ALARM X K4-66

K4-88



Product code	Color	Chain size(TxLmm)	Chain type	Weight(g)
Combo CP-K4-88-AL	Black	8x1200	Angled chain	2080

Parts : Dimple keys x 3
micro USB cable
Constant : Approx 160hrs. (In ON mode)
Constant alert : Approx 22hrs. (Repeat alert for every 10sec.)
Full charge : Approx 2hrs.

Product code	Color	Chain size(TxLmm)	Chain type	Weight(g)
Single CP-K4-88	Black	8x1200	Angled chain	1960

Parts : Dimple keys x 3

Product code	Color	Type	Weight(g)
Single CP-Z110-AL	Black	ALARM	130

Parts : micro USB cable

K4-66



Product code	Color	Chain size(TxLmm)	Chain type	Weight(g)
Combo CP-K4-66-AL	2Colors	6x1100	Angled chain	1240

Parts : Dimple keys x 3
micro USB cable
Constant : Approx 160hrs. (In ON mode)
Constant alert : Approx 22hrs. (Repeat alert for every 10sec.)
Full charge : Approx 2hrs.

Product code	Color	Chain size(TxLmm)	Chain type	Weight(g)
Single CP-K4-66	2Colors	6x1100	Angled chain	1048

Parts : Dimple keys x 3

Product code	Color	Type	Weight(g)
Single CP-Z110-AL	Black	ALARM	130

Parts : micro USB cable

K4-10D



K4

Product code	Color	Cable size(φ×Lmm)	Cable type	Weight(g)
CP-K4-10D110	Black	10(Double)×1100	Straight cable	612
CP-K4-10D180	Black	10(Double)×1800	Straight cable	801

Parts : Dimple keys × 3



CP-K4-10D110



CP-K4-10D180

K4



Product code	Color	Cable size(φ×Lmm)	Cable type	Weight(g)
CP-K4-10180	Black	10(Single)×1800	Coiled cable	648
CP-K4-12180	Black	12(Single)×1800	Coiled cable	643

Parts : Universal bracket " ZP-BKT006N "



K5-10D



K5

Product code	Color	Cable size(φ×Lmm)	Cable type	Weight(g)
CP-K5-10D110	Black	10(Double)×1100	Straight cable	647
CP-K5-10D180	Black	10(Double)×1800	Straight cable	796



CP-K5-10D110



CP-K5-10D180

K5



Product code	Color	Cable size(φ×Lmm)	Cable type	Weight(g)
CP-K5-10180	Black	10(Single)×1800	Coiled cable	606
CP-K5-12180	Black	12(Single)×1800	Coiled cable	669

Parts : Universal bracket " ZP-BKT006N "





Clever memory cable! Storage Innovation

K4-BIRO



	Product code	Color	Cable size(φ×Lmm)	Cable type	Weight(g)
Combo	K4-BR180B-AL	Black	4(Double)×1800	Memory shape cable	470

Parts : Dimple keys × 3
 Universal bracket " ZP-BKT006N " / micro USB cable
 Constant : Approx 160hrs. (In ON mode)
 Constant alert : Approx 22hrs. (Repeat alert for every 10sec.)
 Full charge : Approx 2hrs.

	Product code	Color	Cable size(φ×Lmm)	Cable type	Weight(g)
Single	K4-BR180B	Black	4(Double)×1800	Memory shape cable	340

Parts : Dimple keys × 3 / Universal bracket " ZP-BKT006N "

	Product code	Color	Type	Weight(g)
Single	CP-Z110-AL	Black	ALARM	130

Parts : micro USB cable

Q5-44



Product code	Color	Chain size(TxL mm)	Chain type	Weight(g)
CP-SPD09-44	4 Colors	4x1000	Angled chain	440




Q⁵₄₄
DOUBLE LOOP LOCKING MECHANISM
4x4 CHAIN 1,000mm




Shape of chain (Angled type)

Reinforced steel chain specially heat-treated (T= 4 mm)



Inner diameter of the central ring approx. 27mm

The central ring allows to be used as a double loop cable. By making it a double loop, the total length can be extended by about 10 cm. This makes it useful when you need a little more reach.



Q10

The most secure model in the CROPS Compact series. The double wire structure helps resist cutting, and it is designed balancing the best in portability and strength. It is easy to bundle since the cross section is elliptical when stored.



Product code	Color	Cable size(φxL mm)	Cable type	Weight(g)
CP-SPD10	2 Colors	5(Double)×1500	Straight cable	185

Q¹⁰
STRAIGHT CABLE
φ5 DUAL CABLES×1500
DOUBLE LOOP



Q5



Product code	Color	Cable size(φxL mm)	Cable type	Weight(g)
CP-SPD09	2 Colors	5(Single)×1800	Straight cable	148

Q⁵
STRAIGHT CABLE
φ5×1800
DOUBLE LOOP



Q5-Easy Wrap



Product code	Color	Cable size(φxLmm)	Cable type	Weight(g)
CP-SPD09-EW	3Colors	5(Single)x1800	Straight cable with coiled neck	165




Red
White
Black



Easy wrap for easy storage



← 1800mm → +600mm →



Wrap it up to the straight cable

MIGHTY GUARD



Product code	Color	Cable size(φxLmm)	Cable type	Weight(g)
CP-D3SHW	3Colors	4(Single)x1800	Straight cable	116

Parts : Silicon bracket " ZP-SBSJ01"



Removable Shackle

SHACKLE and CABLE
DUAL LOCKING SYSTEM
**MIGHTY
GUARD**



MULTI PURPOSE



BICYCLE MOTORCYCLE TRAVEL BACKPACK



If it is a thin tire such as 25c, it can be used like a U lock.



CROPS
LOCKS




K3 BIRO



Shape up!
Storage Innovation



K3-BIRO



Product code	Color	Cable size(φ×Lmm)	Cable type	Weight(g)
K3-BR120B	3Colors	4(Double)×1200	Memory shape cable	200

Parts : Universal bracket " ZP-BKT06N "



A versatile lock for various needs

Q
BIRO
mini



Q
BIRO



Q-BIRO mini



Product code	Color	Cable size(φ×Lmm)	Cable	Weight(g)
SPD04-BR90	3Colors	2(Double)×900	Memory shape cable	84

Q-BIRO




Product code	Color	Cable size(φ×Lmm)	Cable	Weight(g)
CP-SPD04-BR	3Colors	2(Double)×1800	Memory shape cable	111



COMPACT




SPIDER



Product code	Color	Cable size(φ×L,mm)	Cable type	Weight(g)
CP-SPD02	3Colors	2.6×1800	Coiled cable	63




Q3



Product code	Color	Cable size(φ×L,mm)	Cable type	Weight(g)
CP-SPD08	6Colors	3×1800	Coiled cable	93



SPIDER G



Product code	Color	Cable size(φ×L,mm)	Cable type	Weight(g)
CP-SPD01	4Cable colors	3×1800	Coiled cable	92

Parts : Flat keys × 2




SPIDER-G







EXTENSIBLE CABLE MAX L 2400mm



LONG CABLE L 1800mm



SHORT CABLE L 300mm



Q4-Easy Wrap



Product code	Color	Cable size(φ×Lmm)	Cable type	Weight(g)
CP-SPD07-EW	6Colors	4×1800	Straight cable	136

Q4



Product code	Color	Cable size(φ×Lmm)	Cable type	Weight(g)
CP-SPD07	6Colors	4×1800	Straight cable	123

UNI Q



Product code	Color	Cable size(φ×Lmm)	Cable type	Weight(g)
CP-SPD07-SHT	6Colors	4×300	Straight cable	71

D3



Product code	Color	Cable size(φ×Lmm)	Cable type	Weight(g)
CP-D3	2Colors	3×1500	Straight cable	118




D3
MULTI PURPOSE

ECO-CHAIN LOCK



Product code	Color	Chain size(φ×Lmm)	Chain type	Weight(g)
CP-HW-EC490	Black	4×900	Steel chain	363



ECO-CHAIN
ECO-RECYCLE CHAIN LOCK



VIPER G



Product code	Color	Cable size(φ×Lmm)	Cable type	Weight(g)
CP-VP02-10180	Black	10×1800	Coiled cable	532

Parts : Dimple keys × 3 / Universal bracket " ZP-BKT006 "



Product name	Code	Security level	Size (mm)	Type	Weight(g)	Page
LION ALARM	CP-Z110-LINK-AL CP-Z110-AL		ALARM : W85×D33×H34 LINKSTATION : W100×D33×H26		ALARM : 130 LINKSTATION : 250	P.08 P.10
K4 Single terminal straight cable	ZP-K4-STL8150		φ 8(Single) / L1500	Straight cable	285	P.10
K4 Double terminal coiled cable	ZP-K4-DTL10110		φ 10(Single) / L1100	Coiled cable	311	P.10
K4 Connector link	ZP-K4-CNL			Attachment	33	P.10
K4-CABRIO	K4-FD60B	10	L 800	Blade	615	P.12
K4-88	CP-K4-88	10	T8 / L1200	Angled chain	1950	P.14
K4-66	CP-K4-66	8.5	T6 / L1100	Angled chain	1048	P.15
K5-66	CP-K5-66	8.5	T6 / L1100	Angled chain	1030	P.15
K4-10D	CP-K4-10D110 CP-K4-10D180	8	φ 10(Double) / L1100 φ 10(Double) / L1800	Straight cable	612 801	P.16
K4	CP-K4-10180 CP-K4-12180	7	φ 10(Single) / L1800 φ 12(Single) / L1800	Coiled cable	548 643	P.16
K5-10D	CP-K5-10D110 CP-K5-10D180	8	φ 10(Double) / L1100 φ 10(Double) / L1800	Straight cable	547 795	P.17
K5	CP-K5-10180 CP-K5-12180	7	φ 10(Single) / L1800 φ 12(Single) / L1800	Coiled cable	506 569	P.17
K4-BIRO	K4-BR180B	6	φ 4(Double) / L1800	Memory shape cable	340	P.18
Q5-44	CP-SPD09-44	7.5	T4 / L1000	Angled chain	440	P.20
Q10	CP-SPD10	5	φ 5(Double) / L1500	Straight cable	185	P.21
Q5	CP-SPD09	4	φ 5(Single) / L1800	Straight cable	148	P.21
Q5-Easy Wrap	CP-SPD09-EW	4	φ 5(Single) / L1800	Straight cable with coiled cable	165	P.22
MIGHTY GUARD	CP-D3SHW	4.5	φ 4(Single) / L1800	Straight cable	116	P.23
K3-BIRO	K3-BR120B	5	φ 4(Double) / L1200	Memory shape cable	200	P.26
Q-BIRO mini	SPD04-BR90	4	φ 2(Double) / L900	Memory shape cable	84	P.28
Q-BIRO	CP-SPD04-BR	4	φ 2(Double) / L1800	Memory shape cable	111	P.29
Q3	CP-SPD08	3	φ 3 / L1800	Coiled cable	93	P.30
SPIDER	CP-SPD02	2.5	φ 2.5 / L1800	Coiled cable	63	P.31
SPIDER G	CP-SPD01	3	φ 3 / L1800	Coiled cable	92	P.31
Q4-Easy Wrap	CP-SPD07-EW	3.5	φ 4 / L1800	Straight cable	136	P.32
Q4	CP-SPD07	3.5	φ 4 / L1800	Straight cable	123	P.32
UNI Q	CP-SPD07-SHT	3.5	φ 4 / L300	Straight cable	71	P.33
D3	CP-D3	2.5	φ 3 / L1500	Straight cable	118	P.34
ECO CHAIN LOCK	CP-HW-EC490	6	φ 4 / L900	Steel chain	353	P.34
VIPER G	CP-VP02-10180	6	φ 10 / L1800	Coiled cable	532	P.34



Dimple key




K4 series




Dimple key type

Alarm "LION ALARM" with built-in vibration sensor can be connected. The head shape like an outlet plug boasts high security by having an independent locking mechanism for each of the two blades.



Flat key



SPIDER-G

Combination lock



Combination lock

Design that balances function and design in a flat, easy-to-turn arrangement




Zero stop counter

Turn the dial clockwise to stop at "0". Because it can be set to "0" quickly, it is easy to count to the number when unlocking.

5-digit combination lock

You can set 100,000 Pins, and by arranging the five-digit combination flat, it is easy to visually remember the PIN and easy to operate when turning the dial.



K5 series



K3



Q5-44 / Q5 / Q10 / Q5-Easy Wrap



Q series

3-digit combination lock


It is a lightweight and practical head specification in a sharp form pursuing a comfortable usability.

3-digit combination lock

PRO spec head that further enhances the "Q series" head. This sizing fits most hands and is suitable for various scenes required for urban riding.

3-digit combination lock

Head that can be said to be a representative work of CROPS developed for road bike users. It has been embraced by users for its functionality and variations.



MIGHTY GUARD



ECO-CHAIN LOCK



SPIDER

The most versatile of the series, the D3 series can be used as a key even with the head alone, and can be used in a wide range of scenes by combining with a wire.

CABLE LENGTH COMPARISON

[Lock front wheel and down tube]
Cable length comparison

Cable : L300mm



[Lock the front wheel and down tube]

Cable : L1100mm



[Locked on fences such as bicycles and bicycle parking lots]

Cable : L1800mm




BLADE

6mm thick quenching blades are connected with special rivets, resistant to cutting and bending, and have strength for long-term bicycle parking.




CHAIN

Uses a high-strength hardened square chain. 4mm, 6mm, 8mm series development.



BIG BIRO CABLE

Specs that further reinforce the BIRO cable and have a good balance between strength and portability. Used in bracket-fixed K3-BIRO, K4-BIRO, etc.




BIRO CABLE

BIRO cable (shape memory cable) made by CROPS original manufacturing method is harder to stretch than a normal coil cable, and it has double wire strength.



COILED CABLE

It does not need to be bundled when stored, and is widely used for fixed bracket locks and compact locks.



EASY WRAP CABLE

A coil and straight hybrid cable. It can be stored compactly using the coil part.



DOUBLE WIRE CABLE

The cable bundled with two wires has high resistance to cutting, and can be stored smoothly because it is hard to twist.



STRAIGHT CABLE

Effective for locking front and rear wheels and locking multiple bikes without entanglement with spokes.



* The above length is the total length including the head.



CROPS
LIGHTS




A more user-friendly design compared with other products

The aim was to create a light that is perfect for use in residential areas with street lamps, downtown areas, and highways. For this reason, a square parallel light "LUM scope" with a cut upper part conforming to the German standard, Does not blind pedestrians and oncoming drivers, is adopted.

TOP CUT LINE DESIGN ON THE LENS PROTECTS APPROACHING PEDESTRIANS, RIDERS, AND DRIVERS NIGHT VISION.

TOP-CUTOFF



HIGH INTENSITY WIDE BEAM DESIGN " LUM SCOPE "



Suitable for urban rides with 240lumens light with TOP CUT line design on the lens

Lum240mu

Micro USB chargeable/Full charge:Approx 5 hrs.
Battery indicator/Low voltage indicator
Brightness: Approx 240lumens

High mode : Approx 2 hrs
Low mode : Approx 5 hrs.
Flashing : Approx 11hrs.



Product code	Color	LED	Battery	Weight(g)
C1L03-01-9336	Black	3 Watts LEDx1	LI-Ion 3.7v/1800mAh	118 (Battery included)

Parts : micro USB cable / Universal bracket "UB07"



Long lasting constant specification
Total of 64g unit fits for long ride

Lum120mu

Micro USB chargeable/Full charge:Approx 2.5hrs.
Battery indicator/Low voltage indicator
Brightness: Approx 120lumens

High mode : Approx 6 hrs.
Low mode : Approx 11hrs.
Flashing : Approx 22hrs.



Product code	Color	LED	Battery	Weight(g)
C1L02-9329	Black	1 Watt LEDx1	LI-Ion 3.7v/1000mAh	64 (Battery included)

Parts : micro USB cable / Universal bracket "UB07"



USB充電
点灯1 点灯2 点滅

Lum240mu

WIDE ANGLE LIGHT BEAM



USB充電
点灯1 点灯2 点滅

Using reflecting light to create TOP CUT wide beam and allowing a parallel square light that does not blind pedestrians and oncoming drivers

Lum100mu

Micro USB chargeable/Full charge:Approx 2.5hrs.
Battery indicator/Low voltage indicator
Brightness: Approx 100lumens

High mode : Approx 3.5hrs.
Low mode : Approx 7 hrs.
Flashing : Approx v



Product code	Color	LED	Battery	Weight(g)
C1L01-019312	Black	1 Watt LEDx1	LI-Ion 3.7v/1000mAh	66 (Battery included)

Parts : micro USB cable / Universal bracket "UB07"



Parts

Universal bracket
UB07



Lum100mu

WIDE ANGLE LIGHT BEAM



USB充電
点灯1 点灯2 点滅

Optional helmet mount

Helmet bracket
HB01





**Waterproof high,
Safely in the sudden rain!**

SX9-1W

BOTTOM FIX for Handlebar
1 Watt LED
Adopted waterproof light

Waterproof light designed specifically for underside mounting

SX9-1W

Brightness: Approx 100 lumens / 2000 cd
*Alkaline batteries recommended

High mode: Approx 7hrs.
Low mode: Approx 12hrs.
Flashing: Approx 35hrs.
Water-proof

2000cd
100lm
LUMINOUS

BOTTOM FIX for handlebar

AAA x 3 BATTERIES

LUMINOUS 100lm

WATER PROOF

Product code	Color	LED	Battery	Weight(g)
SX9-1W	2 Colors	1Watt LED x1	AAA x3	72 (Battery included)

Parts : Universal bracket "UB07"



SX8-1W

Low voltage indicator
Brightness: Approx 100 lumens / 2000 cd
*Alkaline batteries recommended

High mode: Approx 6hrs.
Low mode: Approx 10hrs.
Flashing: Approx 30hrs.

2000cd
100lm
LUMINOUS

AAA x 3 BATTERIES

LED 1W

LOW POWER INDICATOR

UNIVERSAL BRACKET (free size)

Product code	Color	LED	Battery	Weight(g)
CP-SX8-1W	2 Colors	1Watt LED x1	AAA x3	68 (Battery included)

Parts : Universal bracket "UB07"



SX8

Low voltage indicator
Brightness: Approx 14 lumens (800 cd)
*Alkaline batteries recommended

Constant: Approx 100hrs.

800cd
14lm
LUMINOUS

AAA x 3 BATTERIES

LOW POWER INDICATOR

UNIVERSAL BRACKET (free size)

Product code	Color	LED	Battery	Weight(g)
CP-SX8	5 Colors	LED x1	AAA x3	68 (Battery included)

Parts : Universal bracket "UB07"



SX8

LOW POWER LIGHT UP

Energy-saving power design for 100hours runtime

SX7

*Alkaline batteries recommended
Brightness: Approx 1000cd / 40lux / 36lumens

Constant: Approx 120hrs.
Flashing: Approx 350hrs.

1000cd
36lm
LUMINOUS

AA x 3 BATTERIES

Product code	Color	LED	Battery	Size (WxDxHmm)	Weight(g)
ANT-SX7	Black	LED x3	AA x3	95x42x60	103 (Battery included)

Parts : Bracket "FB22-28N"



SJ2

*Alkaline batteries recommended
Brightness: Approx 450cd / 18lux / 14lumens

Constant: Approx 100hrs.

450cd
14lm
LUMINOUS

AAA x 3 BATTERIES

Product code	Color	LED	Battery	Size (WxDxHmm)	Weight(g)
ANT-SJ2	Black	LED x1	AAA x3	79x34x32	67 (Battery included)




EZ500mu-SPORTS

AUTO LIGHT SENSOR

Flashes automatically and quickly when riding through a tunnel

The EZ500mu-SPORTS equipped with the auto mode senses vibration and brightness and blinks. By utilizing the auto mode, battery consumption during day riding is reduced, and safety is supported in environments where visibility is poor such as tunnels and shadows. The included bracket (UB08) is compatible with any size seat post. The bracket base made of hard material can be easily attached and detached during theft prevention and charging.



NEW

Approx. 360 hours of battery life

EZ1-SPORTS

Outstanding usability! Multipurpose light

Easy-to-use clip-type taillight that lights up just by pressing the lens. The mounting location is widened with mounting brackets. Outstanding convenience! Easy-to-use clip-type taillight that lights up just by pressing the lens. The mounting location is widened with mounting brackets.



EZ500mu-SPORTS

※Transparent body to be seen 360°
Micro USB chargeable
Full charge : Approx. 2hrs.
Battery indicator

Constant : Approx 5.5hrs.
Flashing : Approx 15hrs.
Chase flash : Approx 30hr.

LED x5




Product code	Color	LED	Battery	Weight(g)
C2E01-01-9343	Black	Red LEDx5	Li-Ion 320mAh	22 (Battery included)
C2E01-04-9360	Red	Red LEDx5	Li-Ion 320mAh	22 (Battery included)

Parts : micro USB cable / Universal mount bracket "UB08"



Black

Transparent red



Optional "FBST01" Saddle rail bracket



Parts "UB08" bracket



UB08 bracket for wide range fixation



Universal mount bracket UB08



EZ1-SPORTS

Constant : Approx 200hrs.
Flashing 1 : Approx 300hrs
Flashing 2 : Approx 360hrs.

LED x1



Product code	Color	LED	Battery	Weight(g)
CPEZ1RNU-018CR	Black	Red x1	CR2032 x1	11 (Battery included)

Parts : Universal mount bracket "UB08"

CLICK BODY




CR2032 x1PCS

UB08 bracket for wide range fixation



Universal mount bracket UB08



NEW

FULL FACE REAR FLASHER WITH REFLECTOR

**BRIGHT!
SAFETY LIGHT THAT SHINES THROUGH THE ENTIRE LENS**



For seat stay
* The pipe diameter that can be attached is limited to circular pipes of φ12 ~ 18mm.



For Fender
* It is limited to Fender to which rear light can be attached.

**Full face rear flasher with reflector
80JSRV-RB12-18**

- Flashing mode : approx. 15hrs.

Product code	Color	LED	Rechargeable battery	Weight(g)
C2T01-04-9381	Red	Redx1	80mAh NIMH Button Cell Battery 1.2V / 80mAh	34 (Battery included)

Parts : Fender bracket "ZP-RBF01" / Seat stay bracket "ZP-RB12-18" (Pipe diameter approx.12mm~18mm)

- This product does not need to replace battery regularly
- Auto flashing by vibration and dark sensor
- Flash for approx. 1 minute 30 seconds after stop

Product name	Code	LED	Brightness	Battery	Weight(g) Battery included	Page
Lum240mu	CP-LUM240mu	High mode : Approx 2hrs. Low mode : Approx 5hrs. Flashing : Approx 11hrs.	3Watts LEDx1	240lm	Li-ion3.7v / 1800mAh	118 P.40
Lum120mu	CP-LUM120mu	High mode : Approx 6hrs. Low mode : Approx 11hrs. Flashing : Approx 21hrs.	1Watt LED x1	120lm	Li-ion3.7v / 1000mAh	64 P.40
Lum100mu	CP-LUM100mu	High mode : Approx 3.5hrs. Low mode : Approx 7hrs. Flashing : Approx 20hrs.	1Watt LED x1	100lm	Li-ion3.7v / 1000mAh	55 P.41
SX9-1W	SX9-1W	High mode : Approx 7hrs. Low mode : Approx 12hrs. Flashing : Approx 35hrs.	1Watt LED x1	2000cd / 100lm	AAA x3	72 P.42
SX8-1W	CP-SX8-1W	High mode : Approx 6hrs. Low mode : Approx 10hrs. Flashing : Approx 30hrs.	1Watt LED x1	2000cd / 100lm	AAA x3	68 P.43
SX8	CP-SX8	Constant : Approx 100hrs.	LED x1	800cd / 14lm	AAA x3	68 P.43
SX7	ANT-SX7	Constant : Approx 120hrs. Flashing : Approx 350hrs.	LED x3	1000cd / 36lm	AA x3	103 P.43
SJ2	ANT-SJ2	Constant : Approx 100hrs.	LED x1	450cd / 14lm	AAA x3	57 P.43
EZ500mu-SPORTS	C2E01-01-9343 (Black) C2E01-04-9350 (Red)	Constant : Approx 5.5hrs. Flashing : Approx 15hrs. Chase Flashing : Approx 30hrs.	Red LED x5		Li-ion 320mAh	22 P.44
EZ1-SPORTS	CPEZ1RNU-018CR	Constant : Approx 200hrs. Flashing1 : Approx 300hrs. Flashing2 : Approx 360hrs.	Red LED x1		CR2032 x1	11 P.45
80JSRV-RB12-18	C2T01-04-9381	Constant : Approx 15hrs.	Red LED		B80H	34 P.46

HEAD LIGHTS

TAIL LIGHTS

HUB LAMP HOLDER


BX1

Hub lamp holder : For 5mm or 9mm shaft
Material: Aluminum alloy

Product code	Color	Size (φxLmm)	Weight(g)
CP-BX1	Silver	25 × 42	44



A highly versatile hub lamp holder that attaches headlights and also wearable cameras. The holder can be used to either a quick release of 5mm or a hub shaft of 9mm.



BICYCLE LOCK DEVICE
RLF-CN-80JSRV



E-BIKE BATTERY LOCK
SMBME-JP SHIMANO STEPS BATTERY LOCK

E-BIKE BATTERY LOCK
SMBME-CN SHIMANO STEPS BATTERY LOCK

E-BIKE BATTERY LOCK / BICYCLE LOCK DEVICE
RLF-CN / SMBME-CN

	Product name	Color	Spec.	Brightness	Function	Power spec.	Cable spec. / Battery spec. / Cable length
E-BIKE BATTERY LOCK	SMBME-JP	Black					Weight : 170g Parts : Dimple keys×3
E-BIKE BATTERY LOCK	SMBME-CN	Black					Weight : 170g Parts : Flat keys×3
BICYCLE LOCK DEVICE	RLF-CN-80JSRV	Black	Red LED x 1		Solar light	1.2V, 80mAh	B80H (NiMH) Parts : Flat keys×3
HUB DYNAMO HEAD LIGHT	800HDJ2-8CW	Black	0.5Watt White LED	2500cd	Auto sensor	6V / 2.4Watt 6V / 3Watt	J2 Connector Length 65cm
E-BIKE HEAD LIGHT	800JDC6-36-8CW	Black	1Watt White LED	5000cd	Auto sensor	DC 6 - 36V	S. Steps connector Length : Head cable : 15cm S.Steps cable 100cm
HUB DYNAMO HEAD LIGHT	700HDJ2-9S	Black	0.5Watt White LED	2000cd	Auto sensor	6V / 2.4Watt 6V / 3Watt	J2 Connector Length 65cm
E-BIKE HEAD LIGHT	700JDC6-36-9S	Black	0.5Watt White LED	2000cd	Auto sensor	DC 6 - 36V	S. Steps connector Length : Head cable : 15cm S.Steps cable 100cm
SOLAR TAILLIGHT	80JSRV-RB12-18	Black	Red LED x 1		Solar light	1.2V, 80mAh	B80H (NiMH)
SOLAR TAILLIGHT	80JSRV-RB-D	Black	Red LED x 1		Solar light	1.2V, 80mAh	B80H (NiMH)
SOLAR TAILLIGHT	80JSRV-RBF01	Black	Red LED x 1		Solar light	1.2V, 80mAh	B80H (NiMH)
E-BIKE TAILLIGHT	80JDC6-36-STP	Black	Red LED x 1		Flash / Brake light	DC 6 - 36V	S. Steps connector Length 80cm



SOLAR TAILLIGHT (For seat stay)
80JSRV-RB12-18
80JSRV-RB-D



SOLAR TAILLIGHT (For fender)
80JSRV-RBF01

E-BIKE TAILLIGHT
80JDC6-36-STP



HUB DYNAMO HEAD LIGHT
800HDJ2-8CW

E-BIKE HEAD LIGHT
800JDC6-36-8CW

- Flashing mode : approx. 15hrs.
- Sensor : Dark and motion sensor (When stopping, the LED lights for about 2 minute)



HUB DYNAMO HEAD LIGHT
700HDJ2-9S

E-BIKE HEAD LIGHT
700JDC6-36-9S

BRACKET & PARTS

FENDER(F)	SEAT STAY / DOWEL HOLE		STEM(SP)	STEM(8CW)	CARRIER(BB)		FRONT FORK(9S)
NP-RBF01	NP-RB12-18	NP-RBF-D	NP-HSPB01	NP-8CW	NP-BB	NP-CB01BB	NP-9S
	NP-S12						

UB08 UNIVERSAL MOUNT BRACKET

Combo	Name	Parts no.	Product code
	Basic / All parts	1 · 2 · 3 · 4 · 5	ZP-UB08
	Basic / Short band type	1 · 2 · 3 · 4	ZP-UB08 - ATYPE
	Basic / Long band type	1 · 3 · 5	ZP-UB08 - BTYPE



ZP-UB08


Parts

- 1 BASE / ZP-UB08 - BASE
- 2 Normal pad / ZP-UB08 - NP
- 3 Aero pad / ZP-UB08 - AP
- 4 Short band / ZP-UB08 - SB
- 5 Long band / ZP-UB08 - LB



FBST01 SADDLE RAIL BRACKET

Product code	Color	Size(WxDxHmm)	Weight(g)
ZP-FBST01	-	-	17



HSPB01 HEAD SPACER BRACKET

Product code	Color	Size(WxDxHmm)	Weight(g)
ZP-HSPB01	-	-	42.5



LIGHT PARTS

UB07 UNIVERSAL BRACKET

Code	Size (Handlebar diameter)	Weight (g)
ZP-UB07	φ22-32	9

Included silicon band, rubber pad, and double side tape



UB07PT REPAIR PARTS

Code	Weight(g)
ZP-UB07PT	3



SBSJ01

Code	Size (Pipe diameter)	Weight(g)
ZP-SBSJ01	φ25-45	8

S hook



S hook

Code	Weight(g)
ZP-SJ001	0.5

Included 5pcs.



HB01 HELMET BRACKET

Code
ZP-HB01



FB22-28N UNIVERSAL BRACKET

Code	Size (Handlebar diameter)	Weight(g)
ZP-FB22-28N(XCC)	φ22-28	22



FB32 BRACKET

Code	Size (Handlebar diameter)	Weight(g)
ZP-FB32	φ32	22




UBX01 UNIVERSAL BRACKET

Code	Size (Handlebar diameter)	Weight(g)
ZP-UBX01	φ16-32	34




Button cell Battery : B80H (NiMH) REPAIR PARTS

Code	Size (mm)	Capacity (mAh)
ZP-B80H	1.2V	80mAh



For : 80JSRV Solar tail light



LOCK PARTS

BKT006N UNIVERSAL BRACKET

Code	Size (Pipe diameter)	Weight(g)
ZP-BKT006N	φ22-40	44





CROPS Co.,Ltd.

▶▶▶ www.crops-sports.com ◀◀◀

CROPS Co., Ltd.

www.crops-sports.com

1-1-24, Honmachi, Hyogo-ku, Kobe, 6520834 Japan

- Suggested retail prices are subject to change without prior notice due to fluctuation in material prices, exchange rates, etc.
- Product descriptions are effective as of January 2020.
- Specifications and product designs that appear in this catalog are subject to change without prior notice due to product improvement.
- The size and weight indicated may vary depending on method of measurement and the individual difference.

2020.01